

- 1 Port Florence
- 2 S. ...
- 3 Port ...
- 4 ...
- 5 ...
- 6 Kitandwa
- 7 Nkyanuna
- 8 Kabula
- 9 Kuluvi
- 10 Kisingo
- 11 Kigomina
- 12 Vilo
- 13 Kikondo (or Kitunda)
- 14 Horima
- 15 Ejajia
- 16 Britioba
- 17 Bah el Jebel
- 18 ...
- 19 Nimule
- 20 ...
- 21 ...
- 22 ...
- 23 ...
- 24 ...
- 25 ...
- 26 ...
- 27 ...
- 28 ...
- 29 ...
- 30 ...
- 31 ...
- 32 ...
- 33 ...
- 34 ...
- 35 ...
- 36 ...
- 37 ...
- 38 ...
- 39 ...
- 40 ...
- 41 Khartoum

Birds

The ...

Division of Birds

Uganda to Khartoum. 7.5 - 12. 12. 12
(Uganda to Khartoum.) at Renk.
Struthio - a few specimens were seen in the Belgian
Lado Enclave, at the Blue Camp.

Bahr el Jebel - a good many ostriches were
seen. Two, very large, the other two, smaller.
Falconiformes - Goshawk, sp. seen in the forest in the Lado
along the river in Uganda.

Numenius pituitellus - Abundant from near Kump's
camp to the Lado Enclave + down the Nile to the sea
at Renk, March 11, 1912.

Utricularia - Bahr el Jebel - in the Lado Enclave
very abundant in places where the water is
shallow, accompanied by a number of other water plants
such as Utricularia, Sagittaria, Juncus, etc.
Also seen from Khartoum to the Lado Enclave.

Colinus guineensis - Bahr el Jebel - Khartoum to the Lado Enclave
I sometimes saw them in the forest, but only when the
fruit. Only seen in a few places, in the Lado.

Streptopelia dussumieri - The large dove was abundant in the
Lado Enclave across Uganda + down the Nile. Abundant
at Khartoum. 25 shot at Khartoum.

Streptopelia dussumieri - Abundant from Khartoum to the Lado Enclave
Uganda and down the Nile to Khartoum, where I shot one.

Streptopelia dussumieri - Abundant from Khartoum to the Lado Enclave
across Uganda and down the Nile to Khartoum. Seen in the
Bahr el Jebel.

Ceryle alcyon - Bahr el Jebel - Very numerous down
the Nile from Khartoum to Renk. 1 shot at Khartoum.

Bahr el Jebel - Bahr el Jebel - 10-20.
Ceryle alcyon - Bahr el Jebel - 10-20.

Limnocorax nigra - Abundant across Uganda. Seen
down the Nile from Khartoum to Renk.

Limnocorax nigra - Abundant on lakes Khartoum and
about. On the Nile from Khartoum to Renk, but
not seen in the great stretch of bloating water
(No coolidge ^{gallinules} were noted on the Nile.)

✓17714	♂	Port Kampala, Uganda	Yellow Weaver	1909. Dec. 21
✓17715	♂	Green Cuckoo	Port Kampala, L. Victoria, Uganda	"
✓17716	♀	Sunbird <i>halcyon</i>	The only female	"
✓17717	♀	Cheek <i>nativus</i>	"	"
✓17718	♂	White Shouldered ant wheat	"	"
✓17719	♀	"	"	"
✓17720	♂	Passer	"	"
✓17721	♀	Motacilla, yellow	"	"
✓17722	♀	" white & black	"	"
✓17723	♂	"	"	"
✓17724	♂	"	"	"
✓17725	♀	<i>Colinus striatus jebelensis</i> Mearns.	"	"
✓17726	♂	Herundo	Kampala, Uganda	"
✓17727	♀	"	"	"
✓17728	♀	Uroloncha	"	Dec. 22
✓17729	♂	"	"	"
✓17730	♀	"	"	"
✓17731	♂	"	"	"
✓17732	♂	"	"	"
✓17733	♀	Motacilla	Kisimbiri, Uganda	Dec 23
✓17734	♂	Cheek (No. 17733 is the ♀)	"	"
✓17735	♀	Uroloncha	"	"
✓17736	♀	Yellow Weaver	Kikondwa, Uganda	Dec. 24
✓17737	♀	Merops	"	"
✓17738	♂	"	"	"
✓17739	♂	Cheek	"	"
✓17740	♀	Barbet, red-breast, large	"	"
✓17741	♂	" yellow breast, small	"	"
✓17742	♀	Cheek	"	"
✓17743	♀	Cheek	"	"
✓17744	♂	Markie	"	"
✓17745	♂	Motacilla	"	"
✓17746	♂	Merops	"	"

Nests in colonies in large trees.

} A mated pair.
Species common at Entebbe, Dec. 20, 1909.

} Killed at same shot
A mated pair.

Species very common, in pairs or families along the road.
They feed on grass hoppers, other bugs, beetles, etc.

Same area around eye flesh, yellowish green. Bill white. Feet light brown.
Brown, olive, black, red, etc.

The Swiss water in the valley.

The second Irish State W. L. R. R., a hundred in person.

followed. When logs at night were fired, covering the

1) Rice yellow nearly to 20%, which is characteristic of this

Grainish yellow.

Showered Plover (no black line down center of white throat. - Lake

Shaved 18166129 Black hair down center of face. Head.

Aegialitis (1825) 3. etc.

Henrietta, and John, Sirs Albert, and Anne,

Solanum elaeagnifolium. — In common on the coast of Peru

Scodromus vespertinus. - Occasional on pools at Rockland

Helix turpallensis. — Everywhere from Lake Albert to the

~~Up creek and down the hills to River. Not abundant,~~

but usually voluntary on the part of

17747	♀	Budytes	Kibira, Uganda	1907
✓ 8	♀	"	"	Dec. 27
✓ 9	♂	Merula	"	"
✓ 50	♂	Black-throated	"	"
✓ 1	♂	Budytes	"	"
✓ 2	♂	Kribia	"	"
✓ 3	♀	Merula	"	"
✓ 4	♀	Kribia	"	"
✓ 5	♀	Golden Weaver	"	"
✓ 6	♂	Golden Weaver phaeocephalus	Type.	"
✓ 7	♂	Chat	"	"
✓ 8	♀	Budytes	"	"
✓ 9	♀	Merula, obs.	"	"
✓ 10	♂	Merula	"	"
✓ 11	♀	Melanornis	"	"
✓ 12	♀	"	"	"
✓ 13	♂	"	"	"
✓ 14	♂	Alcedo	"	"
✓ 15	♂	Hirundo	"	"
✓ 16	♀	"	"	"
✓ 17	♀	Prinia	Kianuna, Uganda	"
✓ 18	♂	Chat	"	"
✓ 19	♂	Steropis felzelni	"	"
✓ 20	♂	Chat	"	"
✓ 21	♂	Uroloncha	"	"
✓ 22	♀	Seo	"	"
✓ 23	♂	Uroloncha	"	"
✓ 24	♂	Seo	"	"
✓ 25	♂	Halcyon	"	"
✓ 26	♀	Budytes	"	"
✓ 27	♀	Golden Weaver	"	"
✓ 28	♂	Chat	"	"
✓ 29	♂	Chat	"	"
✓ 30	♀	Hornbill, large, black-billed	"	"

in ...
 X ...
 } Mated pair, ...
 ...

Gallus melanotus. - Some medium-sized waders seen on the Bahr el Jebel; were probably this species.

Amegilla glandulosa. - Seen at Victoria and Albert. In flocks across Uganda. Occasional on the Nile Banks from near Bent.

Amegilla montana. - Occasional from Lake Albert to Goolokoro, but not seen in large flocks.

Alcedo. - Gripe were very common on the banks of the Nile from Lake Albert to Bent.

Actitis hypoleucos. - Very common on Lake Victoria and Albert, and along the Nile to Bent. Bahr el Ghazal, Bahr el Ghazal, Bahr el Ghazal.

(Nicrocorax capensis was not seen except on the Nile near Bent).

Pluvialis argyria? No. 18316. The only one seen at Lake Albert and along the Nile from Lake Albert to Goolokoro.

Pratincola. No. 17991. - Commonly seen in pairs or small flocks, as many as 6, at Rhino Camp, and at Lake George.

On dry flats away from the Nile. Rather shy. Oedicnemus. - Common along the Nile from Lake Albert to Goolokoro.

In pairs or small flocks usually on bare flats away from the Nile. Often seen on dry uplands miles from the Nile water. One nest, eggs on dry sand beside the Nile, behind a hyacinth fringe.

Parent lie down & hide when nest is approached. When steamer approached on dry angles, I occasionally saw these birds run to the edge of vegetation & lie down flat instead of flying & suspected they were nesting. Very noisy.

Probably other species collected. See specimen.

Great Bustard. - Col. T.R. shot specimen at Rhino Camp.

American Missionaries collected them at Rhino Camp.

Sobal (Bahr el Jebel) No. 18316.

Medium-sized Bustard. - Rhino Camp to Goolokoro.

Quite numerous. Lesser Bustard. - Very abundant from Lake Albert to Bent.

		W. W. W.		1907
		Kabulans, Uganda		Dec 26
✓ 17782	♀	Tit	"	"
✓ 17783	♀	Woodpecker, small	"	"
✓ 17784	♀	Starling	"	"
✓ 17785	♂	Teal? Pinn	"	"
✓ 17786	♀	Parula	"	"
✓ 17787	♀	Melospiza fasciata meridionalis	"	"
✓ 17788	♂	Melospiza fasciata	"	"
✓ 17789	♂	" do	"	"
✓ 17790	♂	" do	"	"
✓ 17791	♂	" do	"	"
✓ 17792	♀	Waxbill, red eye - sp	"	"
✓ 17793	♂	Waxbill, red	"	"
✓ 17794	♂	Waxbill, red	"	"
✓ 17795	♂	Motacilla	"	"
✓ 17796	♂	"	"	"
✓ 17797	♂	"	"	"
✓ 17798	♂	"	"	"
✓ 17799	♂	Budytes	"	"
17800	♂	"	"	"
✓ 17801	♂	Square-tailed ground dove	"	"
✓ 17802	♂	Bee-Eater - Melospiza	"	"
✓ 17803	♂	Chat - Pratincola	"	"
✓ 17804	♂	Waxbill, Struthio a. myosotis	"	"
✓ 17805	♀	Colinus stratus jebelensis mearns.	"	"
✓ 17806	♀	Ant wheat	"	"
✓ 17807	♂	Blue Starling or bulbul	"	"
✓ 17808	♂	7 sisters	"	"
✓ 17809	♀	Budytes	"	"
✓ 17810	♀	Chat	"	"
✓ 17811	♀	Weaver	"	"
✓ 17812	♂	Flycatcher	"	"
✓ 17813	♂	Waxbill	"	"
✓ 17814	♀	Weaver	"	"
✓ 17815	♀	Streptopelia	"	"
✓ 17816	♀	Curupionus	"	"

In alcohol

"

"

"

"

"

"

"

"

"

Actithya - Lake No. 1 to 10. This is long many
series, sometimes in inverted V or U shape. Quite common
along the Nile, resting on dry trees, or, when feeding,
usually on the grass. Lake Victoria, Bah el Ghazal,
No. 1.

Thalassidroma bageadensis - Lake Victoria, Lake Albert, Lake
No. 1. Nile from 100 to 1000. Very abundant. Utters a
loud whining scream. Feeds in small companies
on thorn and other trees at night, sometimes in same tree
with *Phalaropus*. Sometimes quite shy, occasionally very
tame. I have seen them stand and croak until I was
within a few feet of them.

Plegadis falcinellus - A few at Khin Camp in Sudd, Congo.

Platystrophia minor - A few single birds, from Khin Camp to
Kodokoro. A few were also on Lake Nasser, Brit. East.

Pagdotantalus - A few at Khin Camp and Water Lily
Lake, 20 miles from Khin Camp. A few thence to Lake No. 1.
After that abundant to Rank. Sometimes in flocks of 100 or
more on the sandy shore of the Nile or in the marshes across the
river. When feeding, they break up in pairs, singles
and small companies along the Nile banks.

Abdus abdus - Gondokoro to Lake No. 1. Not abundant.

Discaea - Water Lily Lake, 20 miles from Khin
Camp, Congo to Rank, and down the Nile to Kaka.
Sometimes in small flocks.

Phipporhynchus subgaleatus - Lake Albert to Rank.

Bahr el Ghazal, Bahr el Jebel, Lake No. 1. Common.

Feeding in pairs in marshes.

Leptotilus crumierianus - Lake Victoria to Lake No. 1.
Lake Albert to Rank. At Khin Camp hundreds were killed
when most of the safari left for Water Lily Lake. We baited them
with crocodile and water buffalo meat and soon had scores
perched on acacia trees, on the ground, and sometimes on
scoops of ant-hills.

17817	♂	Bay	Kature, Uganda. Africa	Dec. 26
✓ 18	♂	Red-bellied	"	"
✓ 19	♂	"	"	"
17820	♂	Bay	"	"
✓ 1	♀	<i>Halcyon senegalensis emereicapillus</i> Wearn.	"	"
✓ 2	♀	Shrikes, <i>capensis</i>	"	"
✓ 3	♂	<i>Nunidia</i>	"	"
✓ 4	♂	"	"	"
✓ 5	♀	Ante, black-bellied	"	"
✓ 6	♀	Emere	"	"
✓ 7	♂	Parrot, <i>meruli</i>	"	"
✓ 8	♀	Emere	"	"
✓ 9	♂	Red-bellied	"	"
17830	♂	<i>Gracula</i>	"	"
✓ 1	♀	Emere	"	"
✓ 2	♂	Emere	"	"
✓ 3	♂	"	"	"
✓ 4	♂	"	"	"
✓ 5	♂	"	"	"
✓ 6	♂	Phoebe, <i>Ant.</i>	"	"
✓ 7	♀	Emere, <i>pygmaea</i>	"	"
✓ 8	♂	Ward	Kisingo, Uganda	Dec. 28
✓ 9	♀	"	"	"
17840	♂	Emere	"	"
✓ 1	♀	"	"	"
✓ 2	♂	Warbill, red	"	"
✓ 3	♀	" <i>marginatus</i>	"	"
✓ 4	♂	"	"	"
✓ 5	♀	"	"	"
✓ 6	♂	"	"	"
✓ 7	♀	Bay	"	"
✓ 8	♀	"	"	"
✓ 9	♀	"	"	"
17850	♀	Golden Weaver	"	Dec. 29
✓ 1	♀	"	"	"

Trained with sister mine of Dec. 28

Scaptes umbrellae. — Lake Victoria, Lake Albert, down the Nile to Lake No. In crossing Uganda, some were seen whenever we crossed a wooded stream.

Halcyonidae rex. — Some were said to exist in the marshes about Lake Victoria. We found them only on Lake No. at the Bah el Jebel. Perhaps 50 were seen from the steamer, usually far away across the marshes where our companions had to swim to get at them. It were shot (332 & 17). A party of Belgain officials had killed two adults & showed us two downy nestlings which Kermit & ourselves photographed. The birds were usually seen singly or in small single — never more than two. They sat quite still, in a low bush down, the flicking of wings being in the sunlight, but when we were suddenly dived into the water with great urgency after the fishes upon which it lived. It swam to the bottom and only fish bones, 2 or 3 small bones with some vegetation. One of the bones was a small bone of bone, coarse grass leaves which were all the while kept in the gullet & stomach. Other stomach contents vegetable matter and digested grass. One shot from a long rifle range and the bird usually flew to the water, moving slowly, slowly, with head drawn up to the body like a heron's, and legs extended behind. None who had seen them remembered to have heard any note of them. They are probably silent. Two wounded ones when caught uttered no sound. One shot by T.K. severely but the finger of a native who brought it in to the ship.

17852	♂	can. ...	Kiniga, Uganda, Africa	1909 Dec. 29
✓ 3	♀	"	"	"
✓ 4	♂	Numidia	"	"
✓ 5	♀	Red-breasted Barbat	"	"
✓ 6	♀	Indigobird- ^{can. ...}	"	"
✓ 7	♀	Bush Shrike	"	"
✓ 8	♂	Purple Bulbul	"	"
✓ 9	♂	Halcyon senegalensis cinereicapillus mearns.	"	"
17860	♂	Shrike	"	"
✓ 1	♂	Purple Bulbul	"	"
✓ 2	♂	Smaller Vulture	"	"
✓ 3	♂	Streptopelia, large	"	"
✓ 4	♂	" small	"	"
✓ 5	♀	Numidia	"	"
✓ 6	♀	"	"	"
✓ 7	♀	Milvus aegyptius	"	"
✓ 8	♂	Juracao, large	Kigoma, Uganda	Dec. 30
✓ 9	♀	"	"	"
17870	♂	"	"	"
✓ 1	♂	Serinus	"	"
✓ 2	♂	"	"	"
✓ 3	♂	Uroloncha	"	"
✓ 4	♂	"	"	"
✓ 5	♀	Campophagidae	"	"
✓ 6	♂	Woodpecker	"	"
✓ 7	♀	Flycatcher, gray-black	"	"
✓ 8	♂	Kingfisher, red upper bill	"	"
✓ 9	♂	Crested bird	"	"
17880	♀	Gray Shrike.	"	"
✓ 1	♀	Purple Bulbul	"	"
✓ 2	♀	Centropus superciliaris	"	"
✓ 3	♂	Kingfisher, ^{Halcyon} small	"	"
✓ 4	♂	Parrot	"	"
✓ 5	♀	Black Flycatcher	"	"
✓ 6	♀	Purple Bulbul	"	"

Head & feet in ...

Head & feet in ...

Iris dark grayish brown. Bill plain greenish yellow.
Feet and claws dusky plumbeous.

Eyed yellow. Feet dull orange; claws brown.

Ardea herodias - The most abundant large heron
being more numerous as we descended the Nile
from Lake T. It was sometimes perched
the crown of a palm tree but when disturbed
it flew to the water. It emits the most
horrible croaking. Very tame, allowing the steamer
to pass quite close without leaving Lake Victoria's islands,
Lake Gilbert, & all waters of the Nile. Never gregarious,
commonly found in small bushes & trees, where it comes
to roost at close (P).

Ardea corymbosa - Yellow, Lake T. to Renk, common
to Renk & before large waters. Sometimes quite easily approached,
but soon flies.

Ardea melanocorypha - Lake Victoria, Uganda, Lake Gilbert,
and down the Nile in increasing numbers to Renk. Often
perched on bushes & trees. I saw it in the Nile waters
associated on the wet margins of floating vegetation on Lake
T. & at the mouth of the Nile where it was mostly
replaced by the large ash-colored, yellow-bellied *Ardea
corymbosa* (P). Some of the latter had small chicks.

Ardea corymbosa - Common to Renk. Very abundant
on Lake T. and the Bahr el Ghazal. In the Bahr el
Ghazal, where banks are dry it was most plentiful.
(P) *Ardea melanocorypha*.

Ardeophox brachyotus - Occasional along the Nile
from Lake T. to Renk.

Herodias alba - Rare on the Nile at Khartoum
From Lake T. to Renk it became common but not
in flocks. At Khartoum I killed a young white rhino
and while watching its mother, found a great egret sitting
on the back of the young rhino which it had been
with it for some time.

17887	♂	<i>Colinus striatus jebelensis</i>	Kigoma, Uganda, Africa	Dec. 30	1909.
17888	♂	"	"	"	"
17889	♂	^{Wagtail} Red-checked blue wax bill	"	"	"
17890	♂	<i>Muscicapa</i>	"	Dec. 31	"
17891	♀	<i>Leisticola</i>	Yailo,	"	"
17892	♂	Weaver	"	"	"
17893	♀	Flycatcher ^{Batis}	"	"	"
17894	♀	Cheek	"	"	"
17895	♂	<i>Merops</i>	"	"	"
17896	♂	<i>Pradornis pallidus</i>	"	"	"
17897	♂	^{flycatcher}	"	"	"
17898	♂	<i>Pradornis pallidus</i>	"	"	"
17899	♀	<i>Pradornis pallidus</i>	"	"	"
17900	♂	White-shouldered ant wheatear	"	"	"
17901	♂	"	"	"	"
17902	♂	Passer	"	"	"
17903	♂	7 Sisters	"	"	"
17904	♀	"	"	"	"
17905	♀	"	"	"	"
17906	♀	"	"	"	"
17907	♂	Shrike	"	"	"
17908	♀	Shrike	"	"	"
17909	♀	<i>Nannidia</i>	"	"	"
17910	♂	Passer	Kikonda,	"	1910 Jan. 1
17911	♂	Songo-shrike	"	"	"
17912	♀	<i>Emberiza</i>	"	"	"
17913	♂	"	"	"	"
17914	♂	"	"	"	"
17915	♂	Hornbill	"	"	"
17916	♂	"	"	"	"
17917	♀	Weaver	"	"	"
17918	♂	^{Wagtail}	"	"	"
17919	♂	<i>Colinus striatus jebelensis</i> Mearns.	"	"	"
17920	♀	Flycatcher	"	"	"
17921			Hoima	"	"

Kigoma. Kabula Thulio
²⁵ Kisingili, ²⁵ Kikandwa, ²⁵ Kianuna, ²⁵ Kabulamiro, ²⁵ Kature,
²⁵ Kisingo, ³⁰ Kigoma, ³¹ Yailo, ³¹ Kikonda, ³¹ Hoima, ³¹ Kajura,
 Butaba. (Kikanda)
 Handed me, in camp, by Capt. Foran, who found it nearly dead.

Shot by Theodore Roosevelt, with rifle.

{ Iris pale brownish yellow. Bare skin around eye black. Bill
 brownish red, dusky along commissure, and with a thin line
 at base, below nostril. Feet & claws black, under side of feet brown.

Flamingo. - This will also be common. Common. It is
absent from Florida. In the American mission on Salt
Hill on the River Sobat (missionary showed me a wing of one which
he had shot there).

Andrygona viduata. - In large flocks. Seen in increasing numbers from Bonafonso to Runk. Flocks of hundreds. Thinking notes like those of *L. arcuata*. Shot's of them soon on high sides of river banks. I skinned at Gen. Mo. Ten brought down with two shots each.

Alalobes aegeoides. - Commonly seen on rocky shores
from Rhinoceros to Gondo Koro. Some on rocky island at
the rapids of the Nile, below Muniu. Fish to eat on rocks
Felegila 1. Two shot, were the only ones
seen on Lake Tisid.

Phalacrocorax _____. - Spec. shot near the Long River
= on Lake. Abundant & very numerous about the white
bank. Sits on trees, bushes, papyrus and river banks. Looks
like a grebe when swimming. Sits to spread & dry its wings
like an Anhinga.

Anhinga pusilla. - Abundant on all streams & lakes. Lake Victoria, Albert Nile to River. Bahr el Ghazal, Bahr el Zoral. Drops vertically from tree into water, or swims with one head & neck above water. Sometimes it is seen taking its wings in the sun like gulls & common to. Sometimes in flocks of 10-20. Found all through the Sudd of the Nile on peat grass, & young all pale buffy below.

Pelecanus rufescens. - Occasional on the Nile from Lake Albert to Lake No. There quite numerous, often in small flocks, to River. Stomachs of 4 shot contained only fish. Whiterump distinct in flight away.

17957	♂	Ardea	Bahr el Jebel at ?	19 ¹⁰
8				
9				
17960		Holopus semicollaris		
1		"	So. (Bahr el Jebel)	
✓ 2	♀	Thalassidroma	N. Camp (16.1) on the River	Jan 10
✓ 3	♂	Small Kingfisher	"	"
✓ 4	♀	"	"	"
✓ 5	♂	Woodpecker, small	"	"
✓ 6	♂	Red-bellied T. p. line	"	"
✓ 7	♀	"	"	"
✓ 8	♀	"	"	"
✓ 9	♀	Warbler	"	"
17970	♀	Warbill, Blue ^{marginatus}	"	"
✓ 1	♂	"	"	"
✓ 2	♀	Light-colored ...	"	"
✓ 3	♂	Nighthawk, long ...	"	"
✓ 4	♂	"	"	"
✓ 5	♂	Plantain-Eater	"	"
✓ 6	♂	Thick-knee	"	"
✓ 7	♀	Osceola	"	"
✓ 8	♀	"	"	"
✓ 9	♂	"	"	"
17980	♀	"	"	"
✓ 1	♂	Spotted, crested Plover	"	"
✓ 2	♀	Haliaeetus vocifera	"	Jan. 11
✓ 3	♀	Lesser Bustard	"	"
✓ 4	♀	Numidia	"	"
✓ 5	♀	Brester glossy Ibis	"	"
✓ 6	♂	Lesser Bustard	"	"
✓ 7	♂	Haliaeetus vocifer	"	"
✓ 8	♀	Centropus monachus	"	"
✓ 9	♂	Green Oryx	"	"
17990	♂	Francolinus	"	"
✓ 1	♂	Pratincole	"	"

Iris brown; eyelid vinaceous, emarginated. Bluff bank of the Nile

} Bill dark & ...

... ..

17992	♀	Streptopelia	1919.
✓ 3	♂	Trachurus, long wing process	Jan. 12
✓ 4	♀	Halcyon, senegalensis cinereicapillus.	"
✓ 5	♂	Puffin.	"
✓ 6	♂	Merops ruber	"
✓ 7	♀	"	"
✓ 8	♀	"	"
✓ 9	♂	Merula rustica	"
18000	♂	"	"
✓ 1	♂	"	"
✓ 2	♀	"	"
✓ 3	♀	"	"
✓ 4	♀	"	"
✓ 5	♂	Chloroceryle alpestris	Jan. 13
✓ 6	♀	"	"
✓ 7	♂	"	"
✓ 8	♀	"	"
✓ 9	♀	"	"
18010	♂	"	"
✓ 1	♀	"	"
✓ 2	♂	"	"
✓ 3	♀	"	"
✓ 4	♀	Lesser Bustard	"
✓ 5	♂	Greater Bustard	"
✓ 6	♀	Buteo desertorum	"
✓ 7	♀	"	"
✓ 8	♂	Haliaeetus vocifer	"
✓ 9	♀	"	"
18020	♀	"	"
✓ 1	♂	"	"
✓ 2	♂	Parus	"
✓ 3	♀	Warbler	"
✓ 4	♀	Smallest Kingfisher	"
✓ 5	♀	Acanthopneuste	"
✓ 6	♀	"	"

In the morning
 Shot by Kermit Roosevelt
 } Shot by Kermit Roosevelt with rifle
 Mated pair.
 } Shot by E.A.M. with shotgun.
 One of flock of 500.

18027		♀ Flycatcher	Rhino Camp, on the Nile		1910
✓	8	♀ Cisticola	Rhino Camp, on the Nile		Jan. 14
✓	9	♂ "	"		"
18030	7	♀ "	"		"
✓	1	♂ Red- & -black bird	"		"
✓	2	♂ melanocephala	"		"
✓	3	♂ Erythropygia	"		"
✓	4	♀ Bee-eater	"		"
✓	5	♂ Merops rubica	"		"
✓	6	♀ Halcyon senegalensis cinereicapillus	"		"
✓	7	♂ Halcyon senegalensis	"		"
✓	8	♂ Hirundo rustica	"		"
✓	9	♀ Weaver	"		"
18040	7	♀ Cisticola	"		"
✓	1	♀ Centropus superciliosus	"		"
✓	2	♀ "	"		"
✓	3	♂ Jacana	"		"
✓	4	♀ Goatsucker	"		"
✓	5	♀ Goatsucker	"		"
✓	6	♀ Ootitis hypoleucos	"		"
✓	7	♂ Streptopelia	"		"
✓	8	♀ Streptopelia Dove, barred rump.	"		"
✓	9	♀ Seven Sisters	"		"
18050	♂	Columba striatus jebelensis Mearns.	"		"
✓	1	♀ juv. Milvus aegyptius	"		"
✓	2	♀ Goatsucker macrodipteryx	"		Jan. 15
✓	3	♂ Merops green	"		"
✓	4	♂ Merops rubica	"		"
✓	5	♀ " "	"		"
✓	6	♂ " "	"		"
✓	7	♀ Merops	"		"
✓	8	♂ "	"		"
✓	9	♀ Thick-knee	"		"
18060	♂	Centropus superciliosus	"		"
✓	1	♀ Bee-eater melitt.	"		"

Natural History Label, Enders

1910

Jan. 15

✓ 18062 ♀ *Columba striatus jebelensis* Rhino Camp, on the Nile

✓ 3 ♂ " " "

✓ 4 ♀ Weaver " "

✓ 5 ♀ Tailorbird *Canaryptera* " "

✓ 6 ♂ Red + black " "

✓ 7 ♀ Woodpecker " "

✓ 8 ♂ Bush Shrike " "

✓ 9 ♂ " " "

✓ 18070 ♀ *Centropus superciliosus* " "

✓ 2 ♂ *Merops rubica* " "

✓ 3 ♂ Red + black bird " "

✓ 4 ♀ Plantain-eater " "

✓ 5 ♀ Maribou " "

✓ 6 ♀ " " "

✓ 7 ♂ Thick knee " "

✓ 8 ♂ *Ardea melanotos* " "

✓ 9 ♀ *Francolinus* " "

✓ 18080 ♀ *Francolinus* " "

✓ 1 ♀ Green Pigeon " "

✓ 2 ♀ Maribou " "

✓ 3 ♀ " " "

✓ 4 ♂ " " "

✓ 5 ♀ Kingfisher " "

✓ 6 ♂ Weaver *Setopis pelzelni* " "

✓ 7 ♀ Woodpecker " "

✓ 8 ♂ Red-tailed *Erythropgia* " "

✓ 9 ♀ Weaver " "

✓ 18090 ♀ Paradise Flycatcher " "

✓ 1 ♀ Warbler " "

✓ 2 ♂ Barbet " "

✓ 3 ♀ *Campophaga* " "

✓ 4 ♂ Woodpecker " "

✓ 5 ♂ *Francolinus* " "

✓ 6 ♀ *Francolinus* " "

✓ 7 ♀ " " "

Jan. 16

Jan. 17

18098	♂	Goatsucker, long wing process	Rhino Camp, on the Nile	1910 Jan. 18
18099	♀	Francolinus	"	"
18100	♂	Cisticola	"	"
1	♂	Merops	"	"
2	♀	"	"	"
3	♂	"	"	"
4	♂	Shrike	"	"
5	♀	Nightingale	"	"
6	♂	Emerald Cuckoo	"	"
7	♀	Leucolus	"	"
8	♂	Roller	"	"
9	♀	Weaver	"	"
18110	♂	Wattled Plover	"	"
1	♀	Bustard	"	"
2	♂	Indicator	"	"
3	♂	Pyrenestes layardi minor	"	Jan. 19
4	♀	Warbler Phylloscopus	"	"
5	♀	Red & blk bird	"	"
6	♂	"	"	"
7	♂	Pyrenestes layardi minor	"	"
8	♂	7 Sisters	"	"
9	♀	Merops	"	"
18120	♂	Bush Shrike	"	"
1	♂	Cisticola riparia	"	"
2	♀	Waxbill, blue ^{marginatus}	"	"
3	♂	Euprimolus?	"	"
4	♀	Warbler Phylloscopus	"	"
5	♀	Flycatcher	"	"
6	♂	Goatsucker, long wing process	"	"
7	♂	Centropus monachus	"	Jan. 20
8	♀	"	"	"
9	♂	7 Sisters	"	"
18130	♂	"	"	"
1	♀	Siskin	"	"
2	♀	Cisticola	"	"

Shot with rifle, 100 yds., by J. R.

18133	♂	Halcyon aeneocaudata	1910.
✓ 4	♀	Merops, green	Jan. 20
✓ 5	♀	Bush-Shrike	"
✓ 6	♀	Green & gray Tailorbird ^{canonoptera}	Jan. 21
✓ 7	♂	Brown Tailorbird ^{pinia}	"
8	♀	Vulture, medium	"
18139	-	Vulture, large	"
18139			
18140	♂	Cisticola	"
✓ 1	♀	Oreanthophrynus	Jan. 22
✓ 2	♂	Cisticola	"
✓ 3	♂	"	"
✓ 4	♂	"	"
✓ 5	♂	P. ... Flycatcher, wh. lined	"
✓ 6	♂	Bush Warbler ^{niline}	"
✓ 7	♂	Bush Warbler	"
✓ 8	♀	Starling	"
✓ 9	♂	"	"
18150	♂	Starling	"
✓ 1	♂	Warbler	"
✓ 2	♂	Flycatcher	"
✓ 3	♀	Hummingbird	"
✓ 4	♂	Merops, ...	"
✓ 5	♀	"	"
✓ 6	♂	red & black bird	"
✓ 7	♀	Weaver	"
✓ 8	♀	"	"
✓ 9	♂	Centropus ...	"

River at Jabel, under Enclave
Rhino Camp, on the Nile

Iris brown. Bill red-brown, with blackish tip, both mandibles.
Bare skin surrounding orbit rufous. Bare face, including
cere, sides in front, and rami of mandible pale grayish blue.
Feet flesh color, with dusky brown soles.
1070; 2700; 750; 455; cul. (chord), 71; cere, 30; tarsus 143;
middle toe without claw (to base of claw above), 108. Iris hazel.
Cere, bare front of head, sides of rami of mandible,
pale bluish gray. Bill brownish black, horn color
at tip of both mandibles and on lower border of upper
mandible. Weight, 17 lbs.

No.	Sex	Age	Species	Date
18160	♂	1	Black Crow	Jan. 22
1	♀	1	"	Jan. 23
2	♂	1	Yellow-bellied	"
3	♀	1	Boatwren	"
4	♂	1	"	"
5	♀	1	"	"
6	♀	1	Black-headed	"
7	♂	1	"	"
8	♂	1	Coconut	"
9	♀	1	"	"
18170	♂	1	Wren	"
1	♂	1	Wren	"
2	♀	1	"	"
3	♀	1	"	"
4	♂	1	"	"
5	♂	1	"	Jan. 24
6	♂	1	"	"
7	♀	1	Finch	"
8	♀	1	"	"
9	♀	1	"	"
18180	♀	1	canaloptera	"
1	♂	1	Shrike	"
2	♀	1	Wren	"
3	♂	1	Emerald Cuckoo	"
4	♂	1	"	"
5	♂	1	"	"
6	♂	1	Wren	Jan. 25
7	♂	1	Halcyon selegalensis cinereicapillus Merula	"
8	♂	1	"	"
9	♀	1	"	"
18190	♂	1	Cantharus superciliosus	"
1	♂	1	Black Shrike	"
2	♀	1	"	"
3	♀	1	"	"
4	♀	1	Nasiridia	"

18230	♂	Owens - br. bush shrike	Adult male
✓ 1	♀	Woodpecker	
✓ 2	♀	Woodpecker	
✓ 3	♀	Woodpecker	
✓ 4	♀	Woodpecker	
✓ 5	♂	Woodpecker	
✓ 6	♂	Woodpecker	
✓ 7	♂	Woodpecker	
✓ 8	♀	Woodpecker	
✓ 9	♀	Woodpecker	
18240	♀	Woodpecker	
✓ 1	♀	Woodpecker	
✓ 2	♀	Woodpecker	
✓ 3	♀	Woodpecker	
✓ 4	♂	<i>subruficapilla borea</i>	
✓ 5	♂	Woodpecker	
✓ 6	♂	Woodpecker	
✓ 7	♂	Woodpecker	
✓ 8	♂	Woodpecker	
✓ 9	♀	Woodpecker	
18256	♀	Woodpecker	
✓ 1	♀	Woodpecker	
✓ 2	♀	Woodpecker	
✓ 3	♂	Woodpecker	
✓ 4	♂	Woodpecker	
✓ 5	♂	Woodpecker	
✓ 6	♂	Woodpecker	
✓ 7	♂	Woodpecker	
✓ 8	♂	Woodpecker	
✓ 9	♂	Woodpecker	
18260	♂	Woodpecker	
✓ 1	♂	Woodpecker	
✓ 2	♀	Grass	
✓ 3	♀	Grass	
✓ 4	♀	Grass	

1910
 1911
 1912
 1913
 1914
 1915
 1916
 1917
 1918
 1919
 1920
 1921
 1922
 1923
 1924
 1925
 1926
 1927
 1928
 1929
 1930
 1931
 1932
 1933
 1934
 1935
 1936
 1937
 1938
 1939
 1940
 1941
 1942
 1943
 1944
 1945
 1946
 1947
 1948
 1949
 1950
 1951
 1952
 1953
 1954
 1955
 1956
 1957
 1958
 1959
 1960
 1961
 1962
 1963
 1964
 1965
 1966
 1967
 1968
 1969
 1970
 1971
 1972
 1973
 1974
 1975
 1976
 1977
 1978
 1979
 1980
 1981
 1982
 1983
 1984
 1985
 1986
 1987
 1988
 1989
 1990
 1991
 1992
 1993
 1994
 1995
 1996
 1997
 1998
 1999
 2000

Bellied at base. Yellowish.

Bellied at base. Same color as left but more plantaceous. Bile + granules. Not yellow, above plantaceous. The same as the one in the same place were identified by him as the same. Though the same.

Feb. 1

Bellied at base. Same color as left but more plantaceous. Bile + granules. Not yellow, above plantaceous. The same as the one in the same place were identified by him as the same. Though the same.

Parent of set of 2 eggs, laid on sandy bank of Wly, near the highway

18265	♂	Wood	Lado Enclave	1910
18266	♂	"	"	Feb. 1
18267	♂	"	"	"
18268	♂	"	"	"
18269	♂	"	"	"
18270	♂	Halcyon senegalensis cinereicapillus.	"	"
18271	♀	"	"	"
18272	♀	Pycnonotus layardi minor	"	Feb. 2
18273	♂	Thalassidroma melanochroa	"	"
18274	♂	Colinus striatus jebelensis Mearns.	"	"
18275	♀	Weaver	"	"
18276	♀	Crested Plover	"	"
18277	♀	"	"	"
18278	♀	Black-necked heron	Nimule, on the Nile, Uganda	Feb. 5
18279	♂	Shrike	"	Feb. 5
18280	♂	"	"	"
18281	♀	Chat	"	"
18282	♂	"	"	"
18283	♂	Pycnonotus layardi minor	"	"
18284	♂	Blue Waxbill ^{Uraegintha}	"	"
18285	♀	"	"	"
18286	♂	Saxicola	"	"
18287	♀	Woodpecker	"	"
18288	♀	Halcyon semicaerulea	"	"
18289	♂ im.	Butastur?	"	Feb. 4
18290	♂	Kingfisher	"	Feb. 5
18291	♂	Red-billed Waxbill	"	"
18292	♀	Little green bird ^{Cameroptus}	"	"
18293	♀	Blue Waxbill ^{Uraegintha}	"	"
18294	♀	Weaver ^{Paendornigra arnaldi}	"	"
18295	♂	Hornbill	"	"
18296	♂	Red + blk. bird	Nimule, on the Nile, Uganda	Feb. 6
18297	♀	Shrike	"	"
18298	♂	Sunbird, ^{Chalcophaps} acik	"	"
18299	♀	"	"	"

} 2 pairs, same shot.

Stomach contained snake nearly 30 inches long.

} Mated pair, killed same shot.

18300 ♀ Weaver
 1 ♂ Wax bill ^{Cisticola}
 2 ♀ Weaver, rufous ^{Sporopipes frontalis} naped
 3 ♂ Sporopipes frontalis
 4 ♀ Weaver, gray ^{Pseudonigrita arnandi}
 5 ♀ " " "
 6 ♂ " " "
 7 ♂ Tailorbird-like ^{Cisticola} ^{Prinia}
 8 ♀ " " "
 9 ♀ Pseudonigrita arnandi

Sahr el Jebel 1910
 Nimule, on the Nile, Uganda Feb. 6.

} killed same shot

18310 ♂ ^{Cisticola} ^{Prinia}
 1 ♂ ^{Hydipna} ^{platura} (Vieillot)
 2 ♀ ^{Roller}
 3 ♂ ^{Actitis hypoleucos}
 4 ♀ ^{Leucodile-bird}
 5 ♀ ^{Rufous-winged hawk}
 6 ♀ ^{Magpie}
 7 ♂ ^{Columbi} ^{guinea}
 8 ♂ ^{Jacana}
 9 ♂ ^{Turacao, red-winged}
 10 ♂ ^{Parrot}
 11 ♂ ^{Ninidia}
 12 ♂ ^{Hawk}
 13 ♂ ^{White-shouldered Chat}
 14 ♂ ^{Blue Swift}
 15 ♀ ^{Blue-naped mouse-bird}
 16 ♂ ^{Goshawk}
 17 ♂ ^{Blue-rumped mouse-bird}
 18330 ♀ ^{Clover}
 1 ♂ ^{Shrike Lanius}
 2 ♂ ^{Cisticola "Tailorbird"}
 3 ♀ ^{Ground hornbill}
 4 ♂ ^{Red-winged Turacao}
 5 ♀ ^{Drongo-shrike}

Assua River, Uganda. Feb. 7
 On trail from Nimule to Gondokoro
 (Upper Road) " "

Two were seen at Khartoum March 17, 1910

Camp No. 2. ^{Kerefi, Uganda} ^{Kirifi} Feb. 8

} In alcohol.

18,336	♂	Black-necked Heron	Tombeki River, Uganda.	1910 Feb. 9
✓ 7	♂	Large Glossy Ibis	"	"
✓ 8	♂	Red-winged Turacao.	"	"
✓ 9	♂	"	"	"
18,340	♀	Shrike	"	"
✓ 1	♂	Drongo-shrike	"	"
✓ 2	♂	Starling	"	"
✓ 3	♂	Glaucidium	"	"
✓ 4	♂	Nightjar	"	"
✓ 5	♀	7 Sisters	"	"
✓ 6	♀	Kingfisher ^{Corythornis}	"	"
✓ 7	♀	Weaver	"	"
✓ 8	♀	Purple Bulbul	"	"
✓ 9	♂	Drongo-shrike	"	"
18,350	♀	Palm Swift	"	"
✓ 1	♀	Starling	"	"
✓ 2	♀	Red-winged Turacao	"	"
✓ 3	♂	Kingfisher ^{Halcyon}	"	"
✓ 4	♂	Red-winged Turacao	"	"
✓ 5	♀	"	"	"
✓ 6	♂	Actitis hypoleucos	Uma River, Uganda	Feb. 10
✓ 7	♀	Batis ^{mel.}	"	"
✓ 8	♀	Bee-eater ^{melitt.}	"	"
✓ 9	♀	Kingfisher	"	"
18,360	♂	Leistocla	"	"
✓ 1	♀	Red-winged Turacao	"	"
✓ 2	♂	7 Sisters	"	"
✓ 3	♀	"	"	"
✓ 4	♂	Weaver, ^{amblygaster} grassbreak	"	"
✓ 5	♀	Flycatcher Woodpecker	"	"
✓ 6	♂	Batis	"	"
✓ 7	♂	Yarlorbird ^{Camnupter}	"	"
✓ 8	♂	Sunbird ^{Chalcornitha acik}	"	"
✓ 9	♂	Sunbird ^{thoracopus}	"	"
18,370		Anthus	"	"

In alcohol.

18406 ♂ ~~Lokko~~ Rufous-winged ^{hawk} Lokko Vegga, Uganda Protectorate Feb. 13

✓ 7 ♀ Francolinus

✓ 8 ♂ Woodpecker

✓ 9 ♂ Long-tail Dove.

18410 ♀ "

✓ 1 ♀ White-headed Parrot

✓ 2 ♀ Rufous-crowned Shrike

✓ 3 ♂ "

✓ 4 ♂ Bush-shrike

✓ 5 ♂ Brown Waxbill ^{Sorella}

✓ 6 ♂ "

✓ 7 ♂ Murafr

✓ 8 ♀ " ^{juv.}

✓ 9 ♀ Warbler

18420 ♂ Flycatcher

✓ 1 ♀ Saxicola

✓ 2 ♂ Gray Weaver ^{pseudonigrita arnandi}

✓ 3 ♀ Kestrel

✓ 4 ♂ Hornbill

✓ 5 ♀ Starling ^{Spree}

✓ 6 ♀ Bush-shrike ^{nilam}

✓ 7 ♂ Pycnonotus ^{layardi minor}

✓ 8 ♂ White-headed Shrike ^{europaeus}

✓ 9 ♀ "

18430 ♂ Gray & Rufous bird

✓ 1 ♂ Weaver

✓ 2 ♂ Saxicola

✓ 3 ♂ Gray Weaver ^{pseudonigrita arnandi}

✓ 4 ♂ "

✓ 5 ♀ "

✓ 6 ♀ "

✓ 7 ♂ Bald Starling

✓ 8 ♀ "

✓ 9 ♀ Redstart

18440 ♂ Hornbill

1910

Iris bright yellow.

} Killed same shot

} Mates

18,441	♂	Huleyon Semicarpus	Ledgus, Uganda Protectorate	Feb. 14
✓ 2	♂	Petrophila	"	"
✓ 3	♀	"	"	"
✓ 4	♂	Wattled, crested bird	"	"
✓ 5	♂	"	"	"
✓ 6	♀	"	"	"
7		Redstart	Logos, on the Nile, U. P.	Feb. 15
8		White-bellied Sunbird	"	"
9		Saxicola	"	"
18,450		Redstart	"	"
1		Cisticola	"	"
✓ 2	♂	^{superb} Sparrow Weaver	"	"
✓ 3	♀	Wood Hoopoe	"	"
✓ 4	♂	Batis nilensis	"	"
✓ 5	♂	Orange Shrike	"	"
✓ 6	♂	Petrophila	"	"
✓ 7	♂	Bush-shrike	"	"
✓ 8	♀	Barbet, red u. t. covs	"	"
✓ 9	♂	Merops rubicus	"	"
18,460	♂	Long-tail Dove	"	"
✓ 1	♀	Rufous-crowned Shrike	"	"
✓ 2	♀	White-headed Barbat	"	"
✓ 3	♂	"	"	"
✓ 4	♀	"	"	"
✓ 5	♂	Blue Starling	"	"
✓ 6	♂	Striped yellow-bill Shrike	"	"
✓ 7	♂	Red-rump Weaver ^{dimidiata}	"	"
✓ 8	♂	Shrike	"	Feb. 16
✓ 9	♂	Red & black bird	"	"
18,470	♀	Long Starling ^{creolephora}	"	"
✓ 1	♀	Brown & rufous bird	"	"
✓ 2	♂	"	"	"
✓ 3	♂	Chestnut Waxbill ^{Sorella}	"	"
✓ 4	♂	Blue-naped mousebird	"	"
✓ 5	♂	"	"	"

} Pages not numbered.

18,476	♀	Barbet, red m. t. cov.	Bahr el Jebel	Logos, on the Nile, U. P.	Feb. 16
✓ 7	♂	Violet Starling	"	"	"
✓ 8	♂	Red-fronted Barbet	"	"	"
✓ 9	♂	"	"	"	"
18,480	♀	Weaver Ploceus melanopygus	"	"	"
✓ 1	♂	"	"	"	"
✓ 2	♀	"	"	"	"
✓ 3	♀	"	"	"	"
✓ 4	♀	Bulbo	"	"	"
✓ 5	♂	Weaver	"	"	"
✓ 6	♂	Shrike	"	"	"
✓ 7	♀	"	"	"	"
✓ 8	♀	"	"	"	"
✓ 9	♂	Bush-shrike	"	"	"
18,490	♂	Shrike	"	"	"
18,491	♂	Red + blk bird	"	"	"
✓ 2	♀	"	"	"	"
✓ 3	♀	"	"	"	"
✓ 4	♂	Centropus superciliosus	"	"	"
✓ 5	♂	Kestrel	"	"	"
✓ 6	♂	Colinus striatus jebelensis Mearns.	"	"	"
✓ 7	♀	Streptopelia	"	"	"
✓ 8	♂	Rufous-winged Weaver	"	"	"
✓ 9	♀	Spur. Shrike	"	"	"
18,500	♂	Batis nana	"	"	"
✓ 1	♂	Brown Gimaline argya	"	"	"
✓ 2	♂	"	"	"	"
✓ 3	♀	"	"	"	"
✓ 4	♂	Gray + rufous bird	"	"	"
✓ 5	♀	"	"	"	"
✓ 6	♂	Collocalia ^{microsus}	"	"	"
✓ 7	♀	Gray + rufous bird	"	"	"
✓ 8	♀	Hirundo	"	"	"
✓ 9	♂	"	"	"	"
18,510	♂	Waxbill, red.	"	"	"

Bahr el Jebel
Gondokoro, on the Nile, U. P. Feb. 18

Feb. 19.

		Bahr el Jebel		1910.
		Gondokoro, on the Nile, U. P.		Feb. 19
✓ 18,511	1 ♂	Bee-eater ^{melit}	"	"
✓ 2	3 ♂	Weaver	"	"
✓ 3	7 ♀	"	"	"
✓ 4	7 ♀	Shrike	"	"
✓ 5	1 ♂	"	"	"
✓ 6	7 ♀	"	"	"
✓ 7	7 ♀	"	"	"
✓ 8	1 ♂	Bee-eater ^{melit}	"	"
✓ 9	1 ♂	Streptopelia	"	"
✓ 18,520	7 ♀	Pycnonotus layardi minor	"	"
✓ 1	1 ♂	Cuckoo	"	Feb. 20
✓ 2	7 ♀	Red & blk. bird	"	"
✓ 3	7 ♀	"	"	"
✓ 4	1 ♂	"	"	"
✓ 5	1 ♂	"	"	"
✓ 6	1 ♂	Weaver	"	"
✓ 7	7 ♀	"	"	"
✓ 8	1 ♂	Bush-shrike	"	"
✓ 9	1 ♂	Saxicola	"	"
✓ 18,530	1 ♂	Dumbird ^{anthrept}	"	"
✓ 1	1 ♂	Rufous-naped Weaver ^{spangis} frontalis	"	"
✓ 2	7 ♀	Shrike, chestnut-sided	"	"
✓ 3	1 ♂	Shrike, rufous crowned	"	"
✓ 4	1 ♂	"	"	"
✓ 5	7 ♀	Red-checked blue Wax bill ^{Uraeginthus l. pallidus}	"	Feb. 21
✓ 6	1 ♂	Weaver ^{Sitagra taenioptera} , striped ^{Hyphantornis} ♂ ad.	"	"
✓ 7	7 ♀	Sitagra taenioptera ♀ ad.	"	"
✓ 8	1 ♂	Dumbird	"	"
✓ 9	7 ♀	"	"	"
✓ 18,540	1 ♂	Cuckoo	"	"
✓ 1	1 ♂	Pycnonotus layardi minor	"	"
✓ 2	1 ♂	" " "	"	"
✓ 3	1 ♂	Weaver	"	"
✓ 4	1 ♂	Waxbill	"	"
✓ 5	1 ♂	Gray & rufous bird	"	"

} In alcohol.

Bahr el Jebel
Gondokoro, on the Nile, U.B.

1910.
July 21

✓ 18546 ♂ Shrike, large
✓ 7 ♂ "
✓ 8 ♂ Shrike, rufous crown
✓ 9 ♂ Hirundo, blk u. l. cov.

✓ 18550 ♂ "
✓ 1 ♂ "
✓ 2 ♂ "

✓ 3 ♂ Hirundo
✓ 4 ♂ Warbill, blue, red ^{wasgintus} chest
✓ 5 ♀ Motacilla alba

✓ 6 ♀ "
✓ 7 ♂ "
✓ 8 ♂ "

✓ 9 ♂ "
✓ 18560 ♀ "
✓ 1 ♀ Warbill, blue ^{wasgintus}

✓ 2 ♂ Warbill
✓ 3 ♀ Warbill
✓ 4 ♂ "see later" ^{melit}

✓ 5 ♀ "see later" ^{melit}
✓ 6 ♀ "
✓ 7 ♂ "

✓ 8 ♂ "layardi minor
✓ 9 ♀ "

✓ 18570 ♀ "
✓ 1 ♂ "
✓ 2 ♂ Colinus striatus jebelensis ^{meurns}

✓ 3 ♀ "
✓ 4 ♂ "
✓ 5 ♂ "

✓ 6 ♀ "
✓ 7 ♂ "
✓ 8 ♂ Warbill, red ^{wasgintus}
✓ 9 ♂ Warbill, red ^{wasgintus}

✓ 18580 ♀ "

July 22

July 23

and July 24 noted some of

		1910.	
18,581	♂	Wagtail, b. ...	Feb 23
✓ 2	♂	Swallow	"
✓ 3	♂	"	"
✓ 4	♀	"	"
✓ 5	♀	Chrysomitris ...	"
✓ 6	♀	Wren	"
7	♀	Wren - green	"
8	♀	Wren - red bill	"
✓ 9	♂	Wren - ...	"
18,590	♂	"	Feb 24
✓ 1	♂	"	"
✓ 2	♂	... bird ...	"
✓ 3	♂	... <i>Erythopygia</i> ...	"
✓ 4	♀	"	"
✓ 5	♀	... black ...	"
✓ 6	♂	...	"
✓ 7	♂	...	"
✓ 8	♂	<i>Myiophobus layardi minor</i>	"
✓ 9	♀	<i>Acridothera tristis simplex</i>	"
18,600	♂	<i>Acridothera simplex</i>	"
✓ 1	♂	...	"
✓ 2	♂	... <i>Camaroptera</i> ...	"
✓ 3	♂	...	"
✓ 4	♂	...	"
✓ 5	♂	...	"
✓ 6	♂	<i>Ardea</i>	Feb 25
7	♂	Red Eagle	"
8	♂	"	"
9	♂	"	"
18,610	♂	...	"
✓ 1	♂	...	"
✓ 2	♀	...	"
✓ 3	♂	...	"
✓ 4	♂	...	"
✓ 5	♂	...	"
✓ 6	♂	...	"
✓ 7	♂	...	"
✓ 8	♂	...	"
✓ 9	♂	...	"
✓ 10	♂	...	"
✓ 11	♂	...	"
✓ 12	♂	...	"
✓ 13	♂	...	"
✓ 14	♂	...	"
✓ 15	♂	...	"

Note. -
Catantops per. - On March 7, 1910, we met a steamer on Lake ... Two Belgian officials with their wives were aboard. They had preserved two adult birds (white-bellied ...), one destined for the British and the other for the Congo Museum. (Their permit allowed them to kill one). They also had aboard two downy young birds, taken March 7th by an Arab servant, who told me the nest was in a wet place. The birds had bent over some long grass and upon this were placed a quadrangle of long grass which the parents had sheared off with their beaks and bent round and up into a compact mat about as thick as a ... door mat. The young were clothed in soft, long gray = isle white down. The iris was pale gray. Bill, livid gray, horn color on apical 2/3 of nail at tip of beak. Feet dark, muddy gray. They were evidently of opposite sexes. The male was somewhat larger, with a much larger nail at the tip of the maxilla, and also, a more distinct dorsal groove. They were fed the scraped flesh of small fish. Kennel & Co. photographed the pair, lying on a chair.

"El Khart, the left bank."
 mounted from ...
 March 3

(El Sharo (the left bank))

1910

118516	1	Abdimia abdimii.	March 25
118517	1	"	"
118518	1	"	"
118519	1	"	"
118520	1	"	"
118521	1	"	"
118522	1	"	"
118523	1	"	"
118524	1	"	"
118525	1	"	"
118526	1	"	"
118527	1	"	"
118528	1	"	"
118529	1	"	"
118530	1	"	"
118531	1	"	"
118532	1	"	"
118533	1	"	"
118534	1	"	"
118535	1	"	"
118536	1	"	"
118537	1	"	"
118538	1	"	"
118539	1	"	"
118540	1	"	"
118541	1	"	"
118542	1	"	"
118543	1	"	"
118544	1	"	"
118545	1	"	"
118546	1	"	"
118547	1	"	"
118548	1	"	"
118549	1	"	"
118550	1	"	"
118551	1	"	"
118552	1	"	"
118553	1	"	"
118554	1	"	"
118555	1	"	"
118556	1	"	"
118557	1	"	"
118558	1	"	"
118559	1	"	"
118560	1	"	"
118561	1	"	"
118562	1	"	"
118563	1	"	"
118564	1	"	"
118565	1	"	"
118566	1	"	"
118567	1	"	"
118568	1	"	"
118569	1	"	"
118570	1	"	"
118571	1	"	"
118572	1	"	"
118573	1	"	"
118574	1	"	"
118575	1	"	"
118576	1	"	"
118577	1	"	"
118578	1	"	"
118579	1	"	"
118580	1	"	"
118581	1	"	"
118582	1	"	"
118583	1	"	"
118584	1	"	"
118585	1	"	"
118586	1	"	"
118587	1	"	"
118588	1	"	"
118589	1	"	"
118590	1	"	"
118591	1	"	"
118592	1	"	"
118593	1	"	"
118594	1	"	"
118595	1	"	"
118596	1	"	"
118597	1	"	"
118598	1	"	"
118599	1	"	"
118600	1	"	"

Balaeniceps rex

1265; 2580; 675; 300; tarsus, 240; mid. toe, 190
 Length to end of claws, 1700; culmen, 220;
 gape, 220; circumference of bill at base, 320
 The more greenish yellow than above two of same
 No. 18631 had a quantity of fish vertebrae in
 its gullet and stomach, which latter &
 the tongue & trachea, etc., together with a
 in alcohol. The body skeleton was
 No. 18638 contained two eggs which, though
 the stomach contained a quantity
 Two eggs, still in the yolk stage,
 preserved.

Shot by Heller, 1 1/2 hours back.

Measurements of No. 18631:
 225; 2650; 715; 310; culmen, 228; gape, 220;
 Length to end of claws, 1755; tarsus, 235; mid. toe + claw,
 190; circumference of bill at base, 350; Iris pale greenish
 yellow; bill dark brown, tinged with green. Along
 along commissure line, with pale purplish brown
 elsewhere, becoming paler and lined with dark
 purplish brown. The sides converging
 anteriorly towards the commissure.
 Naked area of interramal skin
 livid pink. S. Segments & sides brown, brownish
 plumbeous, claws brownish black.
 Coloration of bill & feet the same
 its stomach. The body was preserved, entire, in alcohol.
 marsh-grass leaves which occupied the whole length of
 held a small quantity of vertebrae of small fish. A
 section of stomach containing grass were kept
 preserved, but the meat was accidentally lost overboard
 still in the yolk, would soon have been laid.
 of long grass and fish bones.
 would soon have been laid. Skeleton of body

18,639

(river)

1910

March 7

18,646

♀

Sh. + brown Dove

Swampy area, Nielwag, left bank
White Nile, near mouth, 25 miles
Kobuk at J. Graf, Sudan

1

♂

Red-bellied

2

♂

Red-bellied

3

♂

Red-bellied

4

♂

Red-bellied

5

♂

Red-bellied

6

♂

Red-bellied

7

♂

Red-bellied

8

♂

Red-bellied

9

♂

Red-bellied

18,650

♂

Red-bellied

1

♂

Red-bellied

2

♂

Red-bellied

3

♂

Red-bellied

4

♂

Red-bellied

5

♂

Red-bellied

6

♂

Red-bellied

7

♂

Red-bellied

8

♂

Red-bellied

9

♂

Red-bellied

18,651

♂

Red-bellied

1

♂

Red-bellied

2

♂

Red-bellied

3

♂

Red-bellied

4

♂

Red-bellied

5

♂

Red-bellied

6

♂

Red-bellied

7

♂

Red-bellied

8

♂

Red-bellied

9

♂

Red-bellied

18,670

♀

Red-bellied

Swampy area, Nielwag, left bank
White Nile, near mouth, 25 miles
Kobuk at J. Graf, Sudan

Shot by hunter, on the river, with 31 cal Wm
= chester rifle. Before exactly like previous 2 males
All viscera preserved in alcohol. Skeleton of body preserved
Stomach contained 2 fish bones, soft vegetation and a small
amount of partly digested grass.

Bill + face all yellow. Legs, feet + claws black. Iris pale yellow.
Mated pair.

Here, master, Lomna + feet orange-red.

18671	♂	<i>P. caninus</i>	1. Long K White Nile, Sudan	1910 March 10
✓ 2	♂	"	"	"
✓ 3	♂	"	"	"
✓ 4	♂	"	"	"
✓ 5	♂	Lower, striped	White Nile, Sudan	March 10
✓ 6	♂	Upper, red-yellow	"	"
✓ 7	♀	"	"	"
✓ 8	♀	"	"	"
✓ 9	♀	"	"	"
18680	♂	to red and black	"	"
✓ 1	♂	<i>Colinus pectoratus</i>	White Nile, Sudan	March 11
✓ 2	♂	"	"	"
✓ 3	♀	<i>Ardea melanocephala</i>	"	"
✓ 4	♀	<i>Singatus</i>	"	"
✓ 5	♀	<i>Ardea</i>	"	"
✓ 6	♂	<i>Ardea melanocephala</i>	"	"
✓ 7	♂	"	"	"
✓ 8	♀	<i>P. caninus</i>	"	"
✓ 9	♂	<i>Centurus monochlorus</i>	"	"
18690	♂	<i>Colinus pectoratus</i>	"	"
✓ 1	♂	<i>Pythocheilus arsinos</i>	"	"
✓ 2	♂	<i>Colinus, blue-necked</i>	"	"
✓ 3	♂	<i>Ardea, white-shinned</i>	"	"
✓ 4	♂	"	"	"
✓ 5	♂	<i>Centurus</i> <i>Ardea</i> <i>Ardea</i>	"	"
✓ 6	♀	<i>Ardea, blue</i>	"	"
✓ 7	♂	"	"	"
✓ 8	♀	<i>Ardea</i>	"	"
✓ 9	♂	<i>Ardea</i>	"	"
18700	♂	<i>Ardea, red-bellied</i>	Agg. St. Sudan	March 12
✓ 1	♂	<i>Ardea, white-crowned</i>	"	"
✓ 2	♀	"	"	"
✓ 3	♂	"	"	"
✓ 4	♂	"	"	"
✓ 5	♂	<i>Ardea melanocephala</i>	"	"

wing-gills all mottled.

Contained fish-flesh + fish-bones
 Contained tail of small snake + fish-flesh + bones
 Contained fish-flesh + fish-bones.
 Stomach empty.

No.	Sex	Species
18741	♂	<i>Anturus peruvius</i>
✓ 2	♀	" "
✓ 3	♂	" "
✓ 4	♂	" "
✓ 5	♂	" "
✓ 6	♂	" "
✓ 7	♂	" "
✓ 8	♂	<i>Melanerpes alba</i>
✓ 9	♂	" "
18750	♀	" "
✓ 1	♀	" "
✓ 2	♀	" "
✓ 3	♀	" "
✓ 4	♂	<i>Warbler phylloscopus</i>
✓ 5	♂	<i>Aegialitis</i>
✓ 6	♂	<i>Turdus</i>
✓ 7	♂	" "
✓ 8	♂	<i>Budytes</i>
✓ 9	♂	" "
18760	♀	" "
✓ 1	♂	<i>Warbler</i>
✓ 2	♀	<i>Warbler</i>
✓ 3	♀	<i>Shrike</i>
✓ 4	♂	<i>Melanerpes alba</i>
✓ 5	♂	<i>Budytes</i>
✓ 6	♂	<i>Passer</i>
✓ 7	♀	" "
✓ 8	♀	" "
✓ 9	♂	<i>Leaves</i>
✓ 10	♂	" "
✓ 11	♀	" "
✓ 12	♀	" "
✓ 13	♀	" "
✓ 14	♀	" "
✓ 15	♂	<i>Leaves</i>

1910
E. S. person, under. March 13

Gordon Tree near ^{Sudan} Khartoum March 14

Shot in the tree by K.R.
 " " Eam.
 Shot near " " "
 " " " " "
 " " " " "
 Shot in the tree by Eam.
 " " "
 " " K.R.

2/3/2



1910.		1910.	
Jan. 10 - Feb. 25		Jan. 10 - Feb. 25	
✓ 1	♂	Orange-crowned	"
✓ 2	♀	"	"
✓ 3	♂	"	"
✓ 4	♀	"	"
✓ 5	♂	"	"
✓ 6	♀	"	"
✓ 7	♂	"	"
✓ 8	♀	"	"
✓ 9	♂	"	"
✓ 10	♀	"	"
✓ 11	♂	"	"
✓ 12	♀	"	"
✓ 13	♂	"	"
✓ 14	♀	"	"
✓ 15	♂	"	"
✓ 16	♀	"	"
✓ 17	♂	"	"
✓ 18	♀	"	"
✓ 19	♂	"	"
✓ 20	♀	"	"
✓ 21	♂	"	"
✓ 22	♀	"	"
✓ 23	♂	"	"
✓ 24	♀	"	"
✓ 25	♂	"	"
✓ 26	♀	"	"
✓ 27	♂	"	"
✓ 28	♀	"	"
✓ 29	♂	"	"
✓ 30	♀	"	"
✓ 31	♂	"	"
✓ 32	♀	"	"
✓ 33	♂	"	"
✓ 34	♀	"	"
✓ 35	♂	"	"
✓ 36	♀	"	"
✓ 37	♂	"	"
✓ 38	♀	"	"
✓ 39	♂	"	"
✓ 40	♀	"	"
✓ 41	♂	"	"
✓ 42	♀	"	"
✓ 43	♂	"	"
✓ 44	♀	"	"
✓ 45	♂	"	"
✓ 46	♀	"	"
✓ 47	♂	"	"
✓ 48	♀	"	"
✓ 49	♂	"	"
✓ 50	♀	"	"
✓ 51	♂	"	"
✓ 52	♀	"	"
✓ 53	♂	"	"
✓ 54	♀	"	"
✓ 55	♂	"	"
✓ 56	♀	"	"
✓ 57	♂	"	"
✓ 58	♀	"	"
✓ 59	♂	"	"
✓ 60	♀	"	"
✓ 61	♂	"	"
✓ 62	♀	"	"
✓ 63	♂	"	"
✓ 64	♀	"	"
✓ 65	♂	"	"
✓ 66	♀	"	"
✓ 67	♂	"	"
✓ 68	♀	"	"
✓ 69	♂	"	"
✓ 70	♀	"	"
✓ 71	♂	"	"
✓ 72	♀	"	"
✓ 73	♂	"	"
✓ 74	♀	"	"
✓ 75	♂	"	"
✓ 76	♀	"	"
✓ 77	♂	"	"
✓ 78	♀	"	"
✓ 79	♂	"	"
✓ 80	♀	"	"
✓ 81	♂	"	"
✓ 82	♀	"	"
✓ 83	♂	"	"
✓ 84	♀	"	"
✓ 85	♂	"	"
✓ 86	♀	"	"
✓ 87	♂	"	"
✓ 88	♀	"	"
✓ 89	♂	"	"
✓ 90	♀	"	"
✓ 91	♂	"	"
✓ 92	♀	"	"
✓ 93	♂	"	"
✓ 94	♀	"	"
✓ 95	♂	"	"
✓ 96	♀	"	"
✓ 97	♂	"	"
✓ 98	♀	"	"
✓ 99	♂	"	"
✓ 100	♀	"	"

18811	♂	Myiundo	Gondokoro, Senegal	1910 Feb. 25
✓ 2	♂	Longtailed Dove	"	"
✓ 3	♀	Brown Flycatcher	"	"
✓ 4	♀	Dove	"	"
✓ 5	♀	"	Feb. 24
✓ 6	♀	Starling	"	"
✓ 7	♀	Shrike	"	"
✓ 8	♂	Cisticola nimona simplex	"	"
✓ 9	♂	Warbler	"	"
18820	♂	Red-bellied	"	"
✓ 1	♂	Bee-eater	"	"
✓ 2	♂	...	"	"
✓ 3	♀	...	"	"
✓ 4	♂	Lark	Khartoum, Sudan	March 19
✓ 5	♂	"	"	"
✓ 6	♂	"	"	March 20
✓ 7	♂	"	"	"
✓ 8	♂	"	"	"
✓ 9	♀	Long-tailed Dove	"	"
18830	♂	Parrot	"	"
✓ 1	♀	...	"	"
✓ 2	♂	...	"	"
✓ 3	♀	Budytes	"	"
✓ 4	♀	...	"	"
✓ 5	♀	...	"	"
✓ 6	♀	...	"	"
✓ 7	♀	...	"	"
✓ 8	♀	...	"	"
✓ 9	♀	...	"	"
18840	♀	...	"	"
[Nos. 18841-18985 in next vol. of catalogue]				
18986	♂	Crested Lark	Khartoum, Sudan	March 21
✓ 7	♀	"	"	"
✓ 8	♂	Gland?	"	"
✓ 9	♂	"	"	"
18990	♀	"	"	"

} apparently a mated pair. no others in sight.

			1910
			March 21
✓ 18991	♂	Motacilla	Khartoum, Sudan
✓ 2	♂	Motacilla	"
✓ 3	♀	"	"
✓ 4	♀	Upupa Epops	"
5	♂	Amur	"
6	♂	"	"
✓ 7	♂	Amur	"
✓ 8	♀	"	"
✓ 9	♀	"	"
✓ 19000	♂	Saxicola	"
✓ 1	♂	"	"
✓ 2	♂	Saxicola	"
3	♂	"	"
✓ 4	♂	Eremophila	"
✓ 5	♂	Passer	"
✓ 6	♂	"	"
✓ 7	♀	"	"
✓ 8	♀	"	"
✓ 9	♀	"	"
✓ 19010	♀	"	"
1	♂	Eremophila	"
2	♂	"	"
x 19013	♂	Amur	Khartoum, Sudan B.E.A. Oct. 17-28, 1909
x 4	♂	Amur	"
x 5	♂	Amur	Nairobi, B.E.A. Dec. 14, 1909
✓ 6	♂	Amur	Nairobi, B.E.A. Jan. 6, 1910
✓ 7	♂	Amur	Wambaga, B.E.A. Oct. 23, 1909
✓ 8	♂	Amur	"
✓ 9	♂	Amur	Jul., 1909

In case labelled "Mt. Kenya at 8500 ft to Fort Hall, Oct., 1909, mostly Karaiungai River
do
With Nos. 17710 and 17713, without label.
Alcoholic, no tag. Possibly 17950. There is a skin 17950 this species
Weathered skeleton procerus sp.





Crocodile. - Female 10 feet long, killed by Kermit Roosevelt, Jan. 18, 1910, at Rhino Camp, on the Nile. Stomach contained only a quantity (2 double handfuls) of small quartz stones, which are preserved. It was parturient and contained 52 eggs, some at the vaginal orifice. The eggs have hard shells. Some were eaten and were very good food. Measurements: 78×54 ; 78×55 ; 77×54 ; 79×54 ; 78×55 ; 76×54 ; 78×55 ; 80×55 ; 77×56 ; 79×55 ; 77×55 ; 79×55 ; 77×54 ; 82×55 ; 80×56 ; 80×54 ; 76×55 .

Monitor Lizard. - Two eggs are spherical, and measure, respectively, 36 and 36.2 mm. Rhino Camp Jan 17, 1910. A native boatman called them "big lizard" eggs. They may be turtle or snake eggs.

On Jan. 21, 1910, when digging a hole near camp, R. J. Cunningham came upon a set of monitor eggs at exactly 30 inches below the surface. The eggs were lying nearly on one plane, close together. When exposed to the sun they quickly burst open. This is a tracing of an egg, measuring 64×36 .

64×36 ; 61×36 ; 63×34 ; 63×35
 66×36 ; 64×33 ; 63×34 ; 63×35 .

Others: 65×36 ;
 65×36 ; 61×35

The spot was behind our camp, about 125 yards from the Nile water. The soil a sandy loam. One that opened contained an embryo lizard. Some are in alcohol. The clutch contained 16 eggs.

Gondokoro,

Asswa R.

Azalea, Sudan? *Aspid. ...* (Sudan ...)

Dabosi, Uganda?

Σαββια, ..

El Duesin, Sudan?

Hoima, Uganda.

Kabula mliro, "

Kabwe, Uganda.

Kiennera, ..

Kigoma , ..

Kikandwa, " 0%

Kikonda, ..

Kirifi, " ?

Kisumu,

Ledger,

Lucas.

Lukko vega.

nimble, " " (1)

nyouri Jardin, .. C.

Tombeki River, ..

Yuma River, "

Yield, ..

Rich. 1811 " 1812 1813 1814

Kampala, Uganda

Giusto Benti

Makungari, Munyumuwezi tribe = "Botany"
Kampfi Umbia = "Seriba"

Kampi Umbia = "Simba"

$$\begin{array}{r} 178955 \\ 17891 \\ 17714 \\ \hline 177 \\ 221 \end{array}$$

1789.

17714

171

22

to

7:30 on east by the Nile from Wadi el

SMITHSONIAN INSTITUTION
UNITED STATES NATIONAL MUSEUM

MEMORANDUM

Ngare Narok
Susso Nyiro

Kamiti

Juja

Nyeri

Njoro O Nyiro

Wambugu

Thika

Kampala

Hoima

Butiaba

Mimule

→ Kisumbiri

Kabula Mlilo

Kisinga

Kigoma

Mailo

African localities

Hellin

Monday 10/11

Monday 10/11

10/11

10/11

10/11

I reflected

on the 10/11

Why I was

The same

As the 2

10/11

Excuse

10/11

10/11

10/11